Rusnok

MODEL ST.

MILLING ATTACHMENTS

PRICE LIST

APRIL 1,1968

Prices are net, F.O.B. Our plant at Chicago, Illinois.

WE RESERVE THE RIGHT TO CHANGE PRICES WITHOUT NOTICE

All motors below are 1725 R.P.M., 60 Cycle AC.

H.P.	Phase	Volts	Accessories Included	Price without Bracket	Price including Standard Type Bracket	Price including Rail Type Bracket
1	3	220 or 440	With Reversing Switch, Cord and Plug, 1/2" End Mill Holder and Bracket Wrenches	$704.00	$751.25	$785.75
1	1	110 or 220	With Switch, Cord and Plug, 1/2" End Mill Holder and Bracket Wrenches	$748.00	$795.25	$829.75

Prices with Special Motors quoted upon request.

IMPORTANT: All brackets are bored to order. Micrometer size of overarm is imperative to insure proper fit.

Rusnok

ACCESSORIES FOR MODEL ST



END MILL HOLDERS

For use with Model ST, and with Model 120, hardened and ground, #9 B & S taper ½ x 13 right hand thread for draw bar, single screw drive.

Hole sizes:
3/16", 1/4", 5/16", 3/8"
7/16", 1/2", 5/8", 3/4" . . . . . Each $14.25
Hole sizes:
7/8", 1" . . . . . Each $17.00



DRAW-IN COLLETS

For use directly in spindle of Model ST and Model 120. Hardened and ground, #9 B & S taper, ½ x 13 right hand thread for draw bar.

Hole sizes:
3/16", 1/4", 5/16", 3/8", 7/16"
1/2", 9/16", 5/8", 11/16", 3/4" Each $14.25



DRILL CHUCK

For use with Model ST and Model 120, drill chucks fitted with #9 B & S taper shank, ½ x 13 right hand thread for draw bar. Jacobs medium duty key type.

0 to 17/32" capacity
1/8 to 5/8" capacity
3/16 to 3/4" capacity

Prices quoted on request.



BORING HEAD

Chandler-Duplex Boring Head for use with the Model ST and Model #120. Will do facing operations by holding slip ring. Slide travet ¾". 0 to 6" boring capacity. Sensitive micrometer adjustment for boring.

Model J Head fitted with #9 B & S taper shank, ½ x 13 right hand thread for draw bar, including extension bar, extension bar holder, slide stop and necessary wrenches.

Prices quoted on request.

WE RESERVE THE RIGHT TO CHANGE PRICES WITHOUT NOTICE.

Every Shop Needs a Rusnok

Rusnok

BRACKETS AND ADAPTERS FOR MODEL ST.

IMPORTANT: All brackets are bored to order. Micrometer size is imperative to insure proper fit.

STANDARD TYPE BRACKET

For round overarm milling machines, bored to any micrometer size within range of 3" to 5".

Each $47.25



RAIL TYPE BRACKET

For round overarm milling machines, bored to any micrometer size within range of 3" to 5".

Each $81.75



CINCINNATI TYPE ADAPTER

For milling machines with dovetail type overarms.

Each $135.25



When ordering, furnish micrometer size A and B and angle C. If other than 3/4" dowels are used, specify.



FLAT OVERARM RAIL-TYPE BRACKET

Flat overarm rail type for Bridgeport milling machines.

Each $86.75

WE RESERVE THE RIGHT TOCHANGE PRICES WITHOUT NOTICE.

HEAVY DUTY **RUSNOK** ATTACHMENT

MILLING • DRILLING • BORING



HEAVY DUTY

Milling
Drilling
Boring

ST

1 HP.

HEAVY MILL APPLICATION

Capacity to 3/4" end mill in steel

Every Shop Needs a Rusnok